



Atwell Suites
by IHG
Delta Faucet Spec Guide

Delta Faucet Company Hospitality
Team

hospitality@deltafaucet.com

Standard Guest Bath

Standard



Model #: **559LF-BLMPU**

Finish: **Matte Black**

Product Description: **Trinsic Single Handle Bathroom Faucet**

- 1.20 gpm @ 60 psi, 4.5 L/min @ 414 kPa
- 1 or 3-hole, 4" installation
- Rigid spout
- Optional 6" escutcheon included
- Red/blue indicator
- Metal drain assembly



Model #: **T14259-BLLHD**

Finish: **Matte Black**

Product Description: **Trinsic Monitor 14 Series Shower Trim - Less Head**

- Single-function pressure balance cartridge
- Order MultiChoice Universal rough separately
- Metal lever handle adjusts temperature
- Red/blue indicators
- RP77991 adds 1 3/4" to max. installation thickness
- Order shower head separately (LHD)



Model #: **T14459-BLLHD**

Finish: **Matte Black**

Product Description: **Trinsic Monitor 14 Series Tub & Shower Trim - Less Head**

- 5.0 gpm @ 80 psi, 18.9 L/min @ 552 kPa
- Single-function pressure balance cartridge
- Order MultiChoice Universal rough separately
- Metal lever handle adjusts temperature
- Red/blue indicators
- RP77991 adds 1 3/4" to max. installation thickness



Model #: **R10000-UNWS**

Finish: **Not Applicable**

Product Description: **MultiChoice Universal Tub / Shower Rough - Universal Inlets / Outlets**

- Valve body only
- Accepts single-function (13/14), dual-function (17) or dual-function thermostatic (17T) cartridge
- Cartridge ships with trim
- 1/2" universal inlets accept 1/2" copper, 1/2" iron pipe, PEX or CPVC adapters
- 1/2" universal outlets; inlets / outlets have male threads
- Back-to-back capability



Model #: **52668-BL**

Finish: **Matte Black**

Product Description: **Pivotal H₂Okinetic 5-Setting Contemporary Raincan Shower Head**

- 1.75 gpm @ 80 psi, 6.6 L/min @ 552 kPa
- Five-setting H₂Okinetic shower head
- 6" spray face
- 4" shower head depth
- Self-cleaning H₂Okinetic and Touch-Clean(R) spray holes
- Push-button spray selection



Model #: **75935-BL**

Finish: **Matte Black**

Product Description: **Trinsic Robe Hook**

- Extends 2 7/8" from wall
- 2 1/4" diameter flange
- Mounting hardware included
- Overall size 1 1/8" x 3 1/8" x 2 7/8"



see what Delta can do™

Model #: **75950-BL**

Finish: **Matte Black**

Product Description: **Trinsic Tissue Holder**

- Extends 3 3/8" from wall
- Mounting hardware included
- Overall size 7" x 1 1/8" x 3 3/8"



see what Delta can do™

Model #: **75912-BL**

Finish: **Matte Black**

Product Description: **Trinsic 12" Towel Bar**

- Extends 3 1/12" from wall
- Mounting hardware included
- Overall size 15 1/4" x 1 1/8" x 3 3/8"



see what Delta can do™

Model #: **759240-BL**

Finish: **Matte Black**

Product Description: **Trinsic 24" Towel Bar**

- Extends 3 1/12" from wall
- Mounting hardware included
- Overall size 26 1/4" x 1 1/8" x 3 3/8"

Standard



see what Delta can do:

Model #: **41812-BL**

Finish: **Matte Black**

Product Description: **Contemporary Decorative ADA Grab Bar - 12"**

- 12" decorative grab bar
- Extends 2 3/4" from wall
- Concealed mounting
- 1 1/4" diameter
- Extends 2 3/4" from wall
- Concealed mounting



see what Delta can do:

Model #: **41818-BL**

Finish: **Matte Black**

Product Description: **Contemporary CONTEMPORARY GRAB BAR - 18"**

- 1 1/4" diameter
- Extends 2 3/4" from wall
- Concealed mounting
- 3 1/2" diameter flanges
- 1 1/2" wall clearance
- Mounting hardware included



see what Delta can do:

Model #: **41824-BL**

Finish: **Matte Black**

Product Description: **Compel 24" Contemporary Decorative ADA Grab Bar**

- 1 1/4" diameter
- Extends 2 3/4" from wall
- Concealed mounting
- 3 1/2" diameter flanges
- 1 1/2" wall clearance
- Mounting hardware included

Bar/Prep Kitchen Faucet

Standard



Model #: **1959LF-BL**

Finish: **Matte Black**

Product Description: **Trinsic True Bar Limited Swivel**

- 1.50 gpm @ 60 psi, 5.7 L/min @ 414 kPa
- 1 or 3 hole 4" installation; for 3-hole, order RP77702 escutcheon
- 5 15/16" long, 11 1/2" high
- Hot/cold indicator
- 2 1/2" max. deck thickness
- 3/8" staggered copper supply lines with 1/2" fittings

ADA Showers

Standard



Model #: **T14259-BLLHD**

Finish: **Matte Black**

Product Description: **Trinsic Monitor 14 Series Shower Trim - Less Head**

- Single-function pressure balance cartridge
- Order MultiChoice Universal rough separately
- Metal lever handle adjusts temperature
- Red/blue indicators
- RP77991 adds 1 3/4" to max. installation thickness
- Order shower head separately (LHD)



Model #: **T14459-BLLHD**

Finish: **Matte Black**

Product Description: **Trinsic Monitor 14 Series Tub & Shower Trim - Less Head**

- 5.0 gpm @ 80 psi, 18.9 L/min @ 552 kPa
- Single-function pressure balance cartridge
- Order MultiChoice Universal rough separately
- Metal lever handle adjusts temperature
- Red/blue indicators
- RP77991 adds 1 3/4" to max. installation thickness



Model #: **R10000-UNWS**

Finish: **Not Applicable**

Product Description: **MultiChoice Universal Tub / Shower Rough - Universal Inlets / Outlets**

- Valve body only
- Accepts single-function (13/14), dual-function (17) or dual-function thermostatic (17T) cartridge
- Cartridge ships with trim
- 1/2" universal inlets accept 1/2" copper, 1/2" iron pipe, PEX or CPVC adapters
- 1/2" universal outlets; inlets / outlets have male threads
- Back-to-back capability



Model #: **52668-BL**

Finish: **Matte Black**

Product Description: **Pivotal H₂Okinetic 5-Setting Contemporary Raincan Shower Head**

- 1.75 gpm @ 80 psi, 6.6 L/min @ 552 kPa
- Five-setting H₂Okinetic shower head
- 6" spray face
- 4" shower head depth
- Self-cleaning H₂Okinetic and Touch-Clean(R) spray holes
- Push-button spray selection



Model #: **P62419-BL**

Finish: **Matte Black**

Product Description: **Slide Bar and Handshower - ADA**



Model #: **T11859-BL**

Finish: **Matte Black**

Product Description: **Trinsic 3-Setting 2-Port Diverter Trim**

- Metal lever handle
- 2 individual positions, 1 shared position
- For 2 individual positions, no shared positions, order RP71717
- Order diverter rough R11000 separately
- Includes cartridge
- RP75137 adds 1" to max installation thickness



Model #: **R11000**

Finish: **Not Applicable**

Product Description: **Addison 3- and 6-Setting Diverter Rough**

- 3-port, 6-setting diverter with 3 individual and 3 shared positions
- 2-port, 3-setting diverter with 2 individual and 1 shared position
- 1/2" universal inlets / outlets male threads
- Cartridge ships with trim