




BRIZO™



Hotel Indigo

Hotel Indigo
Tom Cline
Revised April 14, 2020

Phone: 404-844-6012
tom.cline@deltafaucet.com



Odin Option

Lavatory Faucet



BRIZO

Model #: **65175LF-PC**

Finish: **Chrome**

Product Description: **Odin Single-Handle Lavatory**

- 1.5 gpm @ 60 psi, 5.7 L/min @ 414 kPa
- Hidden water-efficient, laminar flow aerator
- 1-hole installation
- Ceramic cartridge
- Optional red/blue temperature indicating glide ring
- **MUST ORDER DRAIN SEPARATELY**; push button or grid strainer drains available
- 1.2 gpm models available using an ECO suffix. See current Price Book for ordering details. Technical specifications, installation and design files are comprehensive for all flow rates.
- Accommodates up to 3" deck thickness



BRIZO

Model #: **65375LF-PC**

Finish: **Chrome**

Product Description: **Odin Widespread Lavatory Faucet**

- 1.50 gpm @ 60 psi, 5.7 L/min @ 414 kPa
- Spout features hidden water-efficient, laminar flow aerator
- 3-hole installation
- Accommodates up to 2" deck thickness
- Ceramic cartridge
- **MUST ORDER DRAIN SEPARATELY**; push button or grid strainer drains available
- 1.2 gpm models available using an ECO suffix. See current Price Book for ordering details. Technical specifications, installation and design files are comprehensive for all flow rates.

Spa Shower Options



BRIZO

Model #: **T60P220-PC**

Finish: **Chrome**

Product Description: **Odin PRESSURE BALANCE SHOWER ONLY**

- 1.75 gpm @ 80 psi, 6.6 L/min @ 552 kPa
- Single-function pressure balance cartridge
- For use with MultiChoice Universal Rough
- Metal lever handle
- Handle adjusts temperature
- 5 3/8" diameter H₂Okinetic showerhead
- RP81665 extension kit extends rough installation up to 1 3/4"



BRIZO

Model #: **80092-PC**

Finish: **Chrome**

Product Description: **Brizo Euro Round Shower Column**

- All metal construction
- Includes 60"-82" stretchable hose
- Pivoting handshower mount
- 3-way diverter for single or shared operation
- Showerhead and handshower sold separately
- RP100922 extension kit extends rough installation up to 1"
- Optional RP101264 reduces flow in shared position to 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa. If 1" rough extension needed, order RP101265 instead.

Spa Shower Options



BRIZO

Model #: **RP73147PC**

Finish: **Chrome**

Product Description: **Brizo Hand Shower**



BRIZO

Model #: **T60875-PC**

Finish: **Chrome**

Product Description: **Odin 3-FUNCTION DIVERTER TRIM**

- Diverter trim
- 2 individual positions, 1 shared position
- 1/2" universal inlets/outlets
- Cartridge ships with trim
- MUST ORDER ROUGH SEPARATELY

Bath Accessories



DELTA


see what Delta can do

Model #: **75950**

Finish: **Chrome**

Product Description: **Trinsic Tissue Holder**

- Perfectly coordinates with the Trinsic bath collection
- Extends 3-5/16 in. from wall
- Tile/masonry-plastic or lead anchors
plaster/drywall-toggle bolts recommend if wood blocking
is not available
- Mounting hardware and mounting template included with
product
- Assembled dimensions: 1-1/8 in. H x 3-5/16 in. D x 7 in.
W



BRIZO

Model #: **691875-PC**

Finish: **Chrome**

Product Description: **Odin 18" Towel Bar**



BRIZO

Model #: **693575-PC**

Finish: **Chrome**

Product Description: **Odin Single Robe Hook**

Compel Option

Lavatory Faucet



see what Delta can do

Model #: **561-MPU-DST**

Finish: **Chrome**

Product Description: **Compel Single Handle Bathroom Faucet**

- 1.20 gpm @ 60 psi, 4.5 L/min @ 414 kPa
- DIAMOND Seal Technology is less hassle to install and helps your faucet perform like new for life, reducing leak points and lasting twice as long as the industry standard
- Everything you need is together in one convenient box, including integrated InnoFlex PEX supply lines
- 1 or 3-hole 4" installation
- Metal pop-up
- ADA Compliant
- WaterSense labeled faucet uses at least 20% less water than the industry standard without compromising performance



see what Delta can do

Model #: **3561-MPU-DST**

Finish: **Chrome**

Product Description: **Compel Two Handle Widespread Bathroom Faucet**

- 1.20 gpm @ 60 psi, 4.5 L/min @ 414 kPa
- DIAMOND Seal Technology is less hassle to install and helps your faucet perform like new for life, reducing leak points and lasting twice as long as the industry standard
- Everything you need is together in one convenient box, including integrated InnoFlex PEX supply lines
- Laminar flow lends a beautiful, refined look that complements the design of the faucet
- 3-hole 4-16" installation
- Metal pop-up
- ADA Compliant
- WaterSense labeled faucet uses at least 20% less water than the industry standard without compromising performance

Spa Shower Options



see what Delta can do

Model #: **T14061**

Finish: **Chrome**

Product Description: **Compel Monitor 14 Series Valve Only Trim**

- Trim kit only, must order MultiChoice Universal rough-in separately to complete the unit
- Monitor pressure balance valve keeps water temperature within a safe +/-3degrees F (+/-1.6degrees C), helping to protect you from sudden changes in hot or cold water pressure
- Single function operation
- Single lever handle for ease of temperature control
- Meets standards set by Americans with Disabilities Act (ADA)



see what Delta can do

Model #: **58810**

Finish: **Chrome**

Product Description: **Emerge Shower Column 18" Round**

- Designed for use with shower head and hand shower (both sold separately)
- Can be customized with any shower head and hand shower
- 3-way diverter allows for single or shared operation of the shower head and hand shower
- No need to alter plumbing behind the wall
- Consolidated installation footprint
- Retrofit exposed pipe shower
- No need for an additional supply elbow with the integrated hose supply
- 15 in. overhead shower arm
- Adjustable hand shower mount allows the user to move the hand shower up and down the shower column
- Includes 60 - 82 in. stretchable metal hose
- 18 in. option for shower application
- 26 in. option for shower application also available (model # 58820 sold separately)
- Should not be used as a grab bar

Spa Shower Options



see what Delta can do

Model #: **RP73384**

Finish: **Chrome**

Product Description: **Delta Single-Setting Hand Shower**

- 1.75 gpm @ 80 psi, 6.6 L/min @ 552 kPa
- Full body spray provides a steady, full-coverage spray perfect for every shower need, from rinsing shampoo from hair to relaxing tired muscles
- Hose sold separately
- Mounting bracket sold separately
- WaterSense labeled showers use at least 20% less water than the industry standard?saving you money without compromising performance
- Certified dual check valves for backflow protection
- Genuine Delta repair part
- Lifetime limited warranty



see what Delta can do


Model #: **RP70175**

Finish: **Chrome**

Product Description: **Delta H2OKinetic Single-Setting Raincan Shower Head**

- 1.75 gpm @ 80 psi, 6.6 L/min @ 552 kPa
- H2OKinetic Shower technology sculpts water into a unique wave pattern, forming a powerful drench spray
- Gives you the feeling of more water without using more water
- Installs in minutes
- Spray settings include: H2OKinetic spray
- H2OKinetic spray creates a shower with more warmth, coverage and intensity
- WaterSense labeled showers use at least 20% less water than the industry standard?saving you money without compromising performance

Bath Accessories



see what Delta can do

Model #: **77150**

Finish: **Chrome**

Product Description: **Compel Tissue Holder**

- Perfectly coordinates with the Grail bath collection
- Extends 3-3/4 in. from wall
- Single post, open-ended arm tissue holder
- Tile/masonry-plastic or lead anchors plaster/drywall-toggle bolts recommend if wood blocking is not available
- Mounting hardware and mounting template included with product
- Assembled dimensions: 2-1/32 in. H x 3-3/4 in. D x 7-9/32 in. W



see what Delta can do

Model #: **77118**

Finish: **Chrome**

Product Description: **Compel 18" Towel Bar**

- Perfectly coordinates with the Grail bath collection
- Extends 3-3/4 in. from wall
- Tile/masonry-plastic or lead anchors plaster/drywall-toggle bolts recommend if wood blocking is not available
- Mounting hardware and mounting template included with product
- Assembled dimensions: 2-1/32 in. H x 3-3/4 in. D x 20-1/32 in. W



see what Delta can do

Model #: **77135**

Finish: **Chrome**

Product Description: **Compel Robe Hook**

- Perfectly coordinates with the Grail bath collection
- Extends 3 in. from wall
- Tile/masonry-plastic or lead anchors plaster/drywall-toggle bolts recommend if wood blocking is not available
- Mounting hardware and mounting template included with product
- Assembled dimensions: 3-1/8 in. H x 3 in. D x 2-1/32 in. W

Ara Option

Lavatory Faucet




see what Delta can do

Model #: **567LF-MPU**

Finish: **Chrome**

Product Description: **Ara Single Handle Bathroom Faucet**

- 1.20 gpm @ 60 psi, 4.5 L/min @ 414 kPa
- Laminar flow lends a beautiful, refined look that complements the design of the faucet
- 1 or 3-hole 4" installation
- Metal pop-up
- ADA Compliant
- WaterSense labeled faucet uses at least 20% less water than the industry standard without compromising performance
- Standard spout



see what Delta can do

Model #: **3567-MPU-DST**

Finish: **Chrome**

Product Description: **Ara Two Handle Widespread Bathroom Faucet**

- 1.20 gpm @ 60 psi, 4.5 L/min @ 414 kPa
- DIAMOND Seal Technology is less hassle to install and helps your faucet perform like new for life, reducing leak points and lasting twice as long as the industry standard
- Everything you need is together in one convenient box, including integrated InnoFlex PEX supply lines
- Laminar flow lends a beautiful, refined look that complements the design of the faucet
- 3-hole 4-16" installation
- Metal pop-up
- ADA Compliant
- WaterSense labeled faucet uses at least 20% less water than the industry standard without compromising performance
- Standard spout

Spa Shower Options



see what Delta can do

Model #: **T14067**

Finish: **Chrome**

Product Description: **Ara Monitor 14 Series Valve Only Trim**

- Single-function pressure balance cartridge
- Order MultiChoice Universal rough separately
- Metal lever handle adjusts temperature
- Red/blue indicators
- RP77991 adds 1 3/4" to max. installation thickness



see what Delta can do

Model #: **58410**

Finish: **Chrome**

Product Description: **Emerge Shower Column 18" Angular**

- Designed for use with shower head and hand shower (both sold separately)
- Can be customized with any shower head and hand shower
- 3-way diverter allows for single or shared operation of the shower head and hand shower
- No need to alter plumbing behind the wall
- Consolidated installation footprint
- Retrofit exposed pipe shower
- No need for an additional supply elbow with the integrated hose supply
- 15 in. overhead shower arm
- Adjustable hand shower mount allows the user to move the hand shower up and down the shower column
- Includes 60 - 82 in. stretchable metal hose
- 18 in. option for shower application
- 26 in. option for shower application also available (model # 58420 sold separately)
- Should not be used as a grab bar

Spa Shower Options



see what Delta can do

Model #: 59567-PK

Finish: **Chrome**

Product Description: **Ara H₂Okinetic Single-Setting Hand Shower**

- 1.75 gpm @ 80 psi, 6.6 L/min @ 552 kPa
- H2OKinetic Shower technology sculpts water into a unique wave pattern, forming a powerful drench spray
- Gives you the feeling of more water without using more water
- Spray settings include: H2OKinetic spray
- H2OKinetic spray creates a shower with more warmth, coverage and intensity
- WaterSense labeled showers use at least 20% less water than the industry standard? saving you money without compromising performance



see what Delta can do

Model #: RP70171

Finish: **Chrome**

Product Description: **Dryden H₂Okinetic Single-Setting Raincan Shower Head**

- 1.75 gpm @ 80 psi, 6.6 L/min @ 552 kPa
- H2OKinetic Shower technology sculpts water into a unique wave pattern, forming a powerful drench spray
- Gives you the feeling of more water without using more water
- Installs in minutes
- Spray settings include: H2OKinetic spray
- H2OKinetic spray creates a shower with more warmth, coverage and intensity
- WaterSense labeled showers use at least 20% less water than the industry standard? saving you money without compromising performance

Bath Accessories




see what Delta can do

Model #: 77550

Finish: **Chrome**

Product Description: **Ara Tissue Holder**

- Perfectly coordinates with the Arzo bath collection
- Extends 3-1/2 in. from wall
- Tile/masonry-plastic or lead anchors plaster/drywall-toggle bolts recommend if wood blocking is not available
- Mounting hardware and mounting template included with product
- Assembled dimensions: 6-1/4 in. H x 3-1/2 in. D x 6-1/4 in. W




see what Delta can do

Model #: 77518

Finish: **Chrome**

Product Description: **Ara 18" Towel Bar**

- Perfectly coordinates with the Arzo bath collection
- Extends 3-1/2 in. from wall
- Tile/masonry-plastic or lead anchors plaster/drywall-toggle bolts recommend if wood blocking is not available
- Mounting hardware and mounting template included with product
- Assembled dimensions: 2-1/8 in. H x 3-1/2 in. D x 20-1/8 in. W



see what Delta can do

Model #: 77535

Finish: **Chrome**

Product Description: **Ara Robe Hook**

- Perfectly coordinates with the Arzo bath collection
- Extends 3-1/2 in. from wall
- Tile/masonry-plastic or lead anchors plaster/drywall-toggle bolts recommend if wood blocking is not available
- Mounting hardware and mounting template included with product
- Assembled dimensions: 2-1/8 in. H x 3-1/2 in. D x 2-1/8 in. W